

Patient information

Aftercare for Extractions and Oral Surgery under Genaral Anaesthetic

Liverpool University Dental Hospital

Date

Procedure

Postoperative prescription (if any)

Name of Surgeon

Consultant/Associate Specilist

Aftercare Advice

Do

- Start warm salty mouthwashes after 24 hours (one teaspoon full of salt in a beaker full
 of warm water). These should be used as often as possible and particularly after
 meals. Continue for at least five days. Normal toothbrushing can usually be started
 after 24 hours unless otherwise directed by the Dentist.
- Bite on a piece of clean cotton i.e. handkerchief, flannel etc. (not tissue) if bleeding occurs.
- If the bleeding is not controlled after 30 minutes, after the second attempt contact the Dental Hospital (Monday to Friday daytime) on Tel: 0151 706 2000 extension 5012, or the Emergency Department (A&E Department) of your local hospital.
- Take painkillers if required. Paracetamol or Ibuprofen are usually effective but do not
 exceed the recommended dose. Aspirin is best avoided and Ibuprofen should **not** be
 taken if you are asthmatic or if you have a stomach ulcer.
- Take it easy for the rest of the day.
- Remember that there is often some swelling after a dental operation and there may be difficulty in opening the mouth. Your saliva may be pink for 24 hours.
- Have a soft diet for a few days.

Do Not:

- Mouth rinse or spit out for the first 24 hours.
- Have food or drink for the first couple of hours afterwards.
- Eat hard foods for 24 hours.
- Bite your lips or tongue if they are numb. While they are numb do not have any hot food or drinks.

For at least the next 24 hours you should:

- Rest at home and be looked after by a responsible adult.
- Not drive any vehicle including a bicycle.
- Not work any machinery including cookers and fires.
- Not make important decisions.
- Not sign any legal or important documents.
- Not drink alcohol or smoke.
- Not be in sole charge of young children or anyone else you may usually care for.

Contact your GP urgently if you develop a cough or other problems with your breathing or chest.

Pain relief given

Name	Strength	Time given	Next due

Sometimes the surgical site/extraction socket fails to heal properly and a dull toothache persists. On occasion the surgical site/socket is better treated with a local dressing and this helps with pain control. If the pain is severe or fails to settle after the first 48 hours we suggest you contact the Theatre Department.

Feedback

Your feedback is important to us and helps us influence care in the future.

Following your discharge from hospital or attendance at your outpatient appointment you will receive a text asking if you would recommend our service to others. Please take the time to text back, you will not be charged for the text and can opt out at any point. Your co-operation is greatly appreciated.

Further information

General Anaesthesia Department and Dental Theatres Liverpool University Dental Hospital

Tel: 0151 706 2000 Ext 5012

Text phone number: 18001 0151 706 2000 Ext 5012

NHS 111 Service

Tel: 111

Or your local A&E Department

Author: Liverpool University Dental Hospital

Review date: December 2026

All Trust approved information is available on request in alternative formats, including other languages, easy read, large print, audio, Braille, moon and electronically.

يمكن توفير جميع المعلومات المتعلقة بالمرضى الموافق عليهم من قبل انتمان المستشفى عند الطلب بصيغ أخرى، بما في ذلك لغات أخرى وبطرقة بسهل قراءتها وبالحروف الطباعية الكبيرة وبالصوت وبطريقة برايل للمكفوفين وبطريقة مون والكترونيا.

所有經信托基金批准的患者資訊均可以其它格式提供,包括其它語言、 易讀閱讀軟件、大字

體、音頻、盲文、穆恩體(Moon)盲文和電子格式,敬請索取。

در صورت تمایل میتوانید کلیه اطلاعات تصویب شده توسط اتحادیه در رابطه با بیماران را به اشکال مختلف در دسترس داشته باشید، از جمله به زبانهای دیگر، به زبان ساده، چاپ درشت، صوت، خط مخصوص کوران، مون و بصورت روی خطی موجود است.

زانیاریی پیّوهندیدار به و نهخوشانه ی له لایهن تراسته و ه پهسهند کراون، ئهگهر داوا بکریّت له فوّرماته کانی تردا بریتی له زمانه کانی تر، ئیزی رید (هاسان خویّندنه وه)، چاپی گهوره، شریتی دهنگ، هیّلی موون و نهایکتروّنیکی ههیه.

所有经信托基金批准的患者信息均可以其它格式提供,包括其它语言、 易读阅读软件、大字体、音频、盲文、穆恩体(Moon)盲文和电子格式,敬请索取。

Dhammaan warbixinta bukaanleyda ee Ururka ee la oggol yahay waxaa marka la codsado lagu heli karaa nuskhado kale, sida luqado kale, akhris fudud, far waaweyn, dhegeysi, farta braille ee dadka indhaha la', Moon iyo nidaam eletaroonig ah.