

Patient information

Jaw Joint Problems

Liverpool University Dental Hospital

The temporomandibular joint (jaw joint) is located in front of the ear where the skull and the lower jaw meet. The joint allows the lower jaw (mandible) to move and function. The joint itself is made up of two bones that are separated by a disc of cartilage. Ligaments and muscles surround the joint.

Problems with the jaw joint are very common but typically only last a few months before getting better. In some instances only the muscles are affected (myofascial pain dysfunction) whereas in others the cartilages and ligaments may also be at fault (internal derangement of temporomandibular joint).

The most common symptoms are:

- Joint noise – such as clicking, cracking, crunching, grating or popping.
- Pain – usually a dull ache in and around the ear. The pain may radiate i.e. move forwards along the cheekbone or downwards into the neck.
- Headache.
- Limited mouth opening.

Most jaw joint problems are made worse by chewing and are aggravated at times of stress.

What causes jaw joint problems?

Pain is caused by the muscles in and around the jaw joint tightening up. Joint noise occurs if the disc of cartilage moves out of its normal position between the bones of the jaw joint. Most commonly the cartilage slips forwards and a noise is made when it returns to its normal position in between the bones of the jaw joint. The noise sounds louder to some patients than others because the joint is just in front of the ear.

The ligaments and muscles surrounding the joint can in turn go into spasm, producing pain and limited mouth opening.

Why have I got jaw joint problems?

The cartilage in the jaw joint is thought to slip forwards because of over-use of the muscles surrounding the jaw. This over-use commonly produces tightening of the muscles and may occur as a result of chewing habits, such as grinding or clenching the teeth when under stress or at night. Nail biting or holding things between the teeth can also cause jaw joint problems.

Less commonly missing back teeth, an uneven bite or an injury to the jaw can lead to the problem. Often no obvious cause is found.

Are my problems anything to worry about?

Jaw joint problems are usually not serious and do not lead onto other problems e.g. arthritis of the jaw joint. They are however a nuisance. Fortunately jaw joint problems usually respond to simple treatments.

What are the treatments?

Treatments vary depending on whether you are suffering from myofascial pain dysfunction, internal derangement of the temporomandibular joint or a combination of both.

On the whole treatment is aimed at trying to reduce the workload of the muscles so allowing the disc of cartilage to return to a normal position in the joint.

- A soft diet that requires little chewing – this allows over-worked muscles to rest.
- Painkillers - anti-inflammatory medication (e.g. ibuprofen) is good and can be taken as either tablets or applied as a gel on the outside of the joint.
- Heat – e.g. warm water in a hot water bottle (avoid boiling water) wrapped in a towel applied to the side of the face.
- Identifying and stopping any habits, such as clenching or grinding. Remember that these may be “subconscious”, i.e. you may not be aware of them.
- Relaxation therapy and learning techniques to control tension and stress.
- Jaw joint exercises – the exercises that are best for you will have been discussed by the healthcare professional seeing you. There is also an Information Leaflet describing these exercises. Please remember to carry them out as instructed.
- Resting the joint as much as possible – e.g. avoiding yawning.
- Providing a clear plastic splint that fits over the teeth and is worn mainly at night. This helps support the joint and surrounding muscles.
- Physiotherapy.
- Replacing missing teeth to balance the bite – if this is appropriate it will have been discussed with you.

What happens if these methods do not produce an improvement?

Surgery is only carried out in a small number of cases. This can involve manipulation of the joint whilst you are asleep or more rarely surgery carried out with a mini telescope. In extreme cases it may be necessary to open the joint and operate on the bones, cartilages and ligaments.

Are jaw joint problems anything to worry about?

It is important to realise that jaw joint problems, although a nuisance, are not sinister and usually respond to relatively simple measures over a period of time. Patients themselves can manage most of these treatments. Occasionally jaw joint problems may return after several years. It is very rare for jaw joint problems to progress to arthritis.

Feedback

Your feedback is important to us and helps us influence care in the future.

Following your discharge from hospital or attendance at your outpatient appointment you will receive a text asking if you would recommend our service to others. Please take the time to text back, you will not be charged for the text and can opt out at any point. Your co-operation is greatly appreciated.

Further information

Department of Oral Surgery

Tel: 0151 706 5090

Text phone number: 18001 0151 706 5090

www.baoms.org.uk

Author: adapted with kind permission from the British Association of Oral and Maxillofacial Surgeons

Review date: March 2026

All Trust approved information is available on request in alternative formats, including other languages, easy read, large print, audio, Braille, moon and electronically.

يمكن توفير جميع المعلومات المتعلقة بالمرضى الموافق عليهم من قبل انتمان المستشفى عند الطلب بصيغ أخرى، بما في ذلك لغات أخرى وبطرق تسهل قراءتها وبالحروف الطباعية الكبيرة وبالصوت وبطريقة برايل للمكفوفين وبطريقة مون والإلكترونية.

所有經信托基金批准的患者資訊均可以其它格式提供，包括其它語言、易讀閱讀軟件、大字體、音頻、盲文、穆恩體 (Moon) 盲文和電子格式，敬請索取。

در صورت تمایل می‌توانید کلیه اطلاعات تصویب شده توسط اتحادیه در رابطه با بیماران را به اشکال مختلف در دسترس داشته باشید، از جمله به زبانهای دیگر، به زبان ساده، چاپ درشت، صوت، خط مخصوص کوران، مون و بصورت روی خطی موجود است.

زانیاری پتوهندیدار بهو نهخوشانهی له‌لایمن تراستهوه په‌سه‌ند کراون، نه‌گمر داوا بکریت له فؤرماته‌کانی تردا بریتی له زمانه‌کانی تر، نیزی رید (هاسان خویندنه‌وه)، چاپی گهوره، شریتی دهنگ، هیلی موون و نه‌لیکترونیکی همیه.

所有经信托基金批准的患者信息均可以其它格式提供，包括其它语言、易读阅读软件、大字体、音频、盲文、穆恩体 (Moon) 盲文和电子格式，敬请索取。

Dhammaan warbixinta bukaanleyda ee Ururka ee la oggol yahay waxaa marka la codsado lagu heli karaa nuskhadda kale, sida luqadda kale, akhris fudud, far waaweyn, dhegeysi, farta braille ee dadka indhaha la', Moon iyo nidaam eletaroonig ah.