



## Patient information

# Outpatient Flexible Sigmoidoscopy to be undertaken in L Clinic

Gastroenterology and Hepatology

Your Consultant or doctor has advised you to have a Flexible Sigmoidoscopy.

#### What is a Flexible Sigmoidoscopy?

This is an examination of the lower bowel in which a flexible telescope is inserted into your back passage, allowing inspection of the left bowel (colon). The scope has a lens on its end, which allows the person performing the test to view the inside of your bowel on a television screen.

We are a large teaching Trust and so we are involved in teaching students and in research work. Qualified doctors and nurse practitioners in training to perform endoscopy may perform your test under supervision by a skilled endoscopist.

You may also be asked to take part in research. If you do not feel happy about this, please tell a member of staff. You have the right to refuse and your decision will not affect your treatment in anyway.

## What are benefits of a Flexible Sigmoidoscopy?

This test is the most accurate way we have of looking at the lower large bowel (colon) to establish whether there is any disease present. It also allows a sample of tissue (biopsy) to be taken for examination by the pathology department if necessary. Sometimes larger pieces of tissue such as small polyps are removed at the time of the test but often if these are found, you may need a more extensive examination at a later date.

#### What are the risks of a Flexible Sigmoidoscopy?

#### **Peritonitis**

It is possible to damage the large bowel lining making a hole, but this happens rarely. This allows bowel contents to escape causing severe inflammation in the abdomen (peritonitis). This nearly always needs an operation to repair the hole. The risk of this happening is approximately one in every 5000 examinations.

#### **Bleeding**

If a polyp is found, it may need to be removed, but the endoscopist will decide at the time of the test if the polyp should be removed. Sometimes a biopsy is taken and you may be rebooked for another procedure for the polyp to be removed.

A polyp is usually removed using a small electric current to burn through the base and then separate it from the bowel wall. The risks of removing the polyp include bleeding.

This can often be stopped straight away but may occasionally be more serious or even happen a few days later. Depending on the size of the polyp, this may occur for every 1 to 200 polyps removed.

The other risk from removing a polyp is of making a hole in the bowel wall, which would then need surgery.

### Are there any alternatives to this procedure?

This is the best test to examine the lowest part of your bowel. If your symptoms indicate it, you may need similar or different tests to examine your bowel more extensively but this is not necessary for everyone.

We use alternative tests such as CT scans for some patients but these are not always as useful as a direct examination of the bowel which also has the advantage that samples can be taken at the same time.

## What will happen if I don't have this procedure done?

Doing nothing may result in your signs and symptoms getting worse over time and may result in you needing an operation. It may also mean that you will not be getting the treatment you need.

If you are worried about any of these risks, please speak to your Consultant or a member of their team before you are due to have this procedure.

## **Getting ready for your Flexible Sigmoidoscopy**

- You will need to take either an oral bowel preparation that you will have received with your appointment, or be asked to take an enema preparation to clear the lower bowel. Sometimes we instruct patients about a different preparation.
- If you are taking iron tablets, please stop taking them one week before your appointment.
- Please bring a dressing gown and slippers.
- When you come to the department, please tell the doctor or nurse about any medicines you
  are taking, possible allergies or bad reactions you may have had, or heart valve problems
  requiring antibiotics.

## Your Flexible Sigmoidoscopy procedure

- During the test, you will be asked to lie on your left side on a couch with your knees bent.
- A rectal examination will be performed with a gloved finger, which will help to relax the muscle. After this, the telescope will be lubricated and inserted into your bottom.
- Small puffs of air are then blown down the telescope and into your bowel, so that it can be seen clearly.

## After your Flexible Sigmoidoscopy

You will be able to walk back to the changing area to get dressed.

You may wish to have a friend or relative call to collect you but this is not essential.

#### Results

Results of the examination will either be given to you before you leave or at your next clinic appointment. Sometimes biopsy photography or other information is taken which may need to be assessed further and the result may not be available for a week or two. A copy of the report will be sent to your family doctor (GP).

#### **Cancellations**

If you are unable to keep this appointment, please let us know as soon as possible on Tel: 0151 706 2720. Text phone number: 18001 0151 706 2720. We will be able to give your appointment to another patient, and arrange another for you.

## **Transport**

- Transport has not been arranged for this appointment so it will be necessary for you to make your own arrangements.
- Parking for patients and visitors is available at the Q-Park multi-storey car park opposite the main hospital entrance on Prescot Street. The entrance by car is on Epworth Street off Erskine Street.
- The car park is open 24 hours a day, seven days a week. This is a private car park and charges apply. The car park is continually monitored by parking hosts and CCTV.
- There are disabled spaces within the car park. If you need help, please speak with a parking host at the car park entrance.

#### **Further appointments**

You may be given a follow up appointment before leaving or one will be sent to you in the post to attend the clinic of the doctor who referred you.

# Important:

If you have:

- Diabetes
- Are taking:
- Anticoagulants:
  - Warfarin
  - Heparin/Fragmin/Clexane
  - Dabigatran
  - Rivaroxiban
  - Sinthrome

## Antiplatelet therapy:

- Clopidogrel (Plavix)
- Prasugrel (Efient)
- Ticagrelor (Brilique)
- Dipyridamole (Persantin) and aspirin
- ❖ Are on dialysis
- Have suffered a heart attack within the last three months

You must contact the Gastroenterology Unit as soon as you receive this information leaflet.

Tel: 0151 706 2720

Text phone Number: 18001 0151 706 2720

#### **Feedback**

Your feedback is important to us and helps us influence care in the future.

Following your discharge from hospital or attendance at your outpatient appointment you will receive a text asking if you would recommend our service to others. Please take the time to text back, you will not be charged for the text and can opt out at any point. Your co-operation is greatly appreciated.

#### **Further information**

# If you have any questions or queries, please contact: The Gastroenterology Unit during the following hours

Monday – Thursday	0800 – 2100 hrs
Friday	0800 – 1700 hrs
Saturday/Sunday/BH	0800 – 1600 hrs

Tel: 0151 706 2819/2726

Text phone number: 18001 0151 706 2720

Clinic appointment enquiries

Tel: 0151 706 5555

Text phone number: 18001 0151 706 5555

The Emergency Department (A&E) is open 24 hours

Tel: 0151 706 2051/2050

Text phone number: 18001 0151 706 2051/2050

**Author: Gastroenterology and Hepatology** 

**Review date: January 2022** 

All Trust approved information is available on request in alternative formats, including other languages, easy read, large print, audio, Braille, moon and electronically.

يمكن توفير جميع المعلومات المتعلقة بالمرضى الموافق عليهم من قبل انتمان المستشفى عند الطلب بصيغ أخرى، بما في ذلك لغات أخرى وبطرق تسهل قراءتها وبالحروف الطباعية الكبيرة وبالصوت وبطريقة برايل للمكفوفين وبطريقة مون والكترونيا.

所有經信托基金批准的患者資訊均可以其它格式提供,包括其它語言、易讀閱讀軟件、大字

體、音頻、盲文、穆恩體(Moon)盲文和電子格式,敬請索取。

در صورت تمایل میتوانید کلیه اطلاعات تصویب شده توسط اتحادیه در رابطه با بیماران را به اشکال مختلف در دسترس داشته باشید، از جمله به زبانهای دیگر، به زبان ساده، چاپ درشت، صوت، خط مخصوص کوران، مون و بصورت روی خطی موجود است.

زانیاریی پیومندیدار به و نهخوشانه ی له لایمن تراسته و پهسهند کراون، نهگه رداوا بکریت له فور ماته کانی تردا بریتی له زمانه کانی ترد، نیزی رید (هاسان خویندنه وه)، چایی گهوره، شریتی دهنگ، هیلی موون و نهایکترونیکی همیه.

所有经信托基金批准的患者信息均可以其它格式提供,包括其它语言、易读阅读软件、大字体、音频、盲文、穆恩体(Moon)盲文和电子格式,敬请索取。

Dhammaan warbixinta bukaanleyda ee Ururka ee la oggol yahay waxaa marka la codsado lagu heli karaa nuskhado kale, sida luqado kale, akhris fudud, far waaweyn, dhegeysi, farta braille ee dadka indhaha la', Moon iyo nidaam eletaroonig ah.