

Patient information

Post Epidural Infusion / Injection Discharge Advice

Pain Medicine

Introduction

Serious complications from epidural analgesia are rare (1 in 10,000). Because the epidural space is close to the spinal cord a collection of pus, or a blood clot can cause pressure on the spinal cord. In the unlikely event that there is pressure on the spinal cord it is crucial to diagnose and treat it as quickly as possible; this must be done by expert hospital doctors to prevent delays in treatment and long-lasting damage. This leaflet tells you what to look for and what action to take if you think that you have a problem.

Assessment before the removal of epidural catheter

At the end of treatment with your epidural infusion the team of doctors and nurses caring for you will examine you to ensure that you do not have any residual numbness or weakness of your legs from the action of the drugs in your epidural infusion.

They will ask you to move your legs and examine you to make sure that the sensation in your legs is as it was before the operation. It is important to remember that some operations can cause altered sensation in the legs therefore any changes experienced may be as a result of the surgery and not the epidural. If you do have altered sensation when the epidural is removed, the attending team can discuss this with you.

If you experience any of the listed signs and symptoms (see list below) as a new problem, after your epidural infusion has been stopped as an inpatient ask the nurse in charge of the ward to contact the Pain Team or on call Anaesthetist immediately.

If you have been discharged it is important that you contact the on-call Anaesthetist at the hospital immediately:

Aintree Hospital

Tel: 0151 525 5980 Text Phone:18001 0151 525 5980 and ask the switchboard operator to bleep the On-Call Anaesthetist.

❖ Royal Liverpool and Broadgreen Hospitals

Tel: 0151 706 2000 Text phone number:18001 0151 706 2000 and ask the switchboard operator to bleep the On-Call Anaesthetist.

After speaking to the on-call Anaesthetist they will arrange to see you in the Accident and Emergency department in order to examine you.

LUHFT PI 2159 V1

Signs and symptoms

- Redness, pus, tenderness, or pain at the epidural wound site.
- Feeling generally unwell despite the fact that all seems to be well with the surgical wound.
- High temperature, neck stiffness.
- Numbness and or weakness in your legs / inability to weight bear.
- Difficulty passing water / incontinence of faeces.

Feedback

Your feedback is important to us and helps us influence care in the future.

Following your discharge from hospital or attendance at your outpatient appointment you will receive a text asking if you would recommend our service to others. Please take the time to text back, you will not be charged for the text and can opt out at any point. Your co-operation is greatly appreciated.

Further Information

For further information during your admission your ward nurse can contact the Pain Nurse Specialist who can discuss your care.

Following your discharge to contact the Specialist Nurses Monday to Friday 8am to 4 pm please Telephone:

❖ Royal Liverpool and Broadgreen Hospitals Tel: 0151 706 2000 and ask switchboard operator to Bleep 4531 Text Phone Number: 18001 0151 706 2000 - Bleep 4531

❖ Aintree Hospital

Tel: 0151 529 5980 and ask the switchboard operator to Bleep: 2214 Text phone number: 18001 0151 529 5980 - Bleep 2214

Information for the Emergency Department Staff

Contact the on-call anaesthetist as soon as the patient attends the Emergency Department

Author: Pain Medicine Service, Liverpool University Hospitals NHS

Foundations Trust

Review Date: January 2026

LUHFT PI 2159 V1

Acknowledgements:

Major complications of central Neuraxial block in the United Kingdom (Report of the 3rd National Audit Project of the Royal College of Anaesthetists–NAP 3) Patient Information Leaflet

The Royal College of Anaesthetists

All Trust approved information is available on request in alternative formats, including other languages, easy read, large print, audio, Braille, moon and electronically.

يمكن توفير جميع المعلومات المتعلقة بالمرضى الموافق عليهم من قبل انتمان المستشفى عند الطلب بصيغ أخرى، بما في ذلك لغات أخرى وبطرق تسهل قراءتها وبالحروف الطباعية الكبيرة وبالصوت وبطريقة برايل للمكفوفين وبطريقة مون والكترونيا.

所有經信托基金批准的患者資訊均可以其它格式提供,包括其它語言、 易讀閱讀軟件、大字

體、音頻、盲文、穆恩體 (Moon) 盲文和電子格式,敬請索取。

در صورت تمایل میتوانید کلیه اطلاعات تصویب شده توسط اتحادیه در رابطه با بیماران را به اشکال مختلف در دسترس داشته باشید، از جمله به زبانهای دیگر، به زبان ساده، چاپ درشت، صوت، خط مخصوص کوران، مون و بصورت روی خطی موجود است.

ز انیاریی پیّوهندیدار به و نهخو شانه ی لهلایه ن تراسته و پهسهند کر اون، ئهگر داوا بکریّت له فورماته کانی تردا بریتی له زمانه کانی تر و نهلی کترونیکی همیه. زمانه کانی تر، ئیزی رید (هاسان خویّندنه وه)، چاپی گهوره، شریتی دهنگ، هیّلی موون و نهلیکتروّنیکی همیه.

所有经信托基金批准的患者信息均可以其它格式提供,包括其它语言、 易读阅读软件、大字体、音频、盲文、穆恩体(Moon)盲文和电子格式,敬请索取。

Dhammaan warbixinta bukaanleyda ee Ururka ee la oggol yahay waxaa marka la codsado lagu heli karaa nuskhado kale, sida luqado kale, akhris fudud, far waaweyn, dhegeysi, farta braille ee dadka indhaha la', Moon iyo nidaam eletaroonig ah.

LUHFT PI 2159 V1