

Patient information

Sjögren Disease

Liverpool Universtity Dental Hiospital

What are the aims of this information leaflet?

This leaflet has been written to help you understand Sjögren disease. It provides general information on Sjögren disease, including how it is diagnosed and managed and potential complications of the condition. Additional sources of information have been included if you wish to find out more about Sjögren disease.

What is Sjögren disease?

Sjögren disease is a chronic (long term) autoimmune disease which affects the salivary and tear glands causing dryness of the mouth and eyes. In some people it can also affect other areas of the body such as the joints. It is a non-transmissible condition, which means that you have not caught it and you can't give it to anyone else. It is estimated that half a million people in the UK have Sjögren disease, and it most commonly affects women aged 40–60 years old. Only about one in ten Sjögren's patients are men.

What causes Sjögren disease?

Sjögren disease is an autoimmune disorder. This means that the immune system mistakenly damages your own healthy body tissue by producing antibodies against tear and salivary glands, affecting their function. The exact cause is unknown. However, research suggests that a combination of several factors such as genetic factors, environmental triggers and hormonal influences may play a role.

Is Sjögren disease hereditary?

Sjögren disease is not thought to be hereditary.

What are the symptoms of Sjögren disease?

The most common symptoms of Sjögren disease are:

Dry mouth causing

- difficulty in talking, and swallowing certain foods due to lack of saliva.
- altered taste.
- dental decay and gum inflammation (gingivitis).
- recurrent candidal infections (oral thrush infections) affecting the mouth and the corners of the lips

- Dry, sore irritable or gritty eyes.
- Swollen salivary glands, particularly the parotid glands around the ears and the submandibular glands under the jaw (swelling may be recurrent or persistent).
- Dryness elsewhere e.g. skin, digestive tract, genitals or air passages.
- Tiredness (fatigue).
- Joint pains or general achiness.

What does Sjögren disease look like?

Some patients have no visible signs. Others have swollen salivary glands, particularly the parotid glands around the ears and the submandibular glands under the lower jaw. Inside the mouth, the tongue often looks very dry and saliva is absent. The eyes can look red due to irritation from dryness.

How is Sjögren disease diagnosed?

There is no one test for Sjögren disease. Diagnosis is based on a combination of your symptoms and by the results of clinical examination and various tests.

Typically the following tests will be carried out:

- Saliva flow tests.
- Tests for eve dryness.
- Blood tests to look for antibodies.
- Ultrasound scans of the major salivary glands.
- Biopsy of the minor salivary glands which are easily accessible inside the lower lip. (A biopsy involves removal of a small piece of tissue while the lip is numb; this is then examined under a microscope).

The diagnosis of Sjögren disease is made, if after the results of tests you meet the classification criteria laid out by the American-European Consensus Guidelines.

Can Sjögren disease be cured and what is the outlook?

There is no cure for Sjögren disease yet, however treatment is aimed at easing your symptoms. You're unlikely to be disabled by Sjögren disease, although the symptoms can be uncomfortable and long lasting.

What treatment is available for Sjögren disease?

Treatments available for dry mouth:

To stimulate saliva

- Use sugar-free chewing gum and sugar free sweets.
- Saliva stimulating tablets (SST) and Salivix pastilles are available directly from a pharmacist but can also be prescribed.

 A tablet called Pilocarpine has been shown to be useful in stimulating saliva production but it is not suitable for everybody as it has some side effects and cannot be used if you have certain medical conditions.

To replace saliva

- Salivary substitutes in the form of sprays, liquids and gels are available directly from a pharmacist but can also be prescribed.
- Antifungal (anti-thrush) treatments in the form of liquids, gels or tablets may be prescribed if recurrent fungal infections are a problem.

Treatments for dry eyes:

 Dry eyes usually respond to artificial tears and gels and ointments which can be used as often as needed.

Treatment for fatigue and/or joint pains and other symptoms:

- Hydroxychloroquine which is an anti-malarial drug is sometimes prescribed to help symptoms of tiredness and joint pains if present.
- For those patients with severe symptoms or vasculitis (inflammation of blood vessels) treatment with new biological drugs is available through specialist centres.

Some patients with Sjögren disease have an increased risk of developing cancers of the lymphatic system known as lymphoma. The lymphomas of salivary glands can present as swellings in the glands or are found on an ultrasound scan. They are usually low grade and respond well to treatment.

What can I do?

- Keep your mouth moist with regular sips of water or salivary substitutes. Keep water to hand.
- Gentle daily massage of the glands may help to increase saliva.
- Choose wet foods or drink water while eating.
- Eat a diet low in sugar, avoid acidic fizzy drinks and use a tooth paste with a high concentration fluoride toothpaste or daily fluoride mouth rinse to protect your teeth from decay.
- Maintain good oral hygiene and visit the hygienist regularly to prevent gum disease.
- Oral dryness may make fungal infections (thrush) more likely. If you wear dentures remove these at night and soak them in a suitable denture cleaner.
- Continue to visit your dentist for routine care even if you are seen in a specialist centre.
- Keep your eyes moist with eye drops and ointments.
- Visit the optician regularly so that your eyes can be checked for signs of corneal damage.
- The use of a humidifier may help to improve nasal dryness.

- If you have problems with genital dryness, please discuss treatment options with your doctor.
- Contact your specialist or dentist if you notice any new swellings in your glands.
- If you intend to become pregnant please contact your doctor. Women with Sjögren
 disease have a small risk of passing on antibodies which cause heart block (slowing
 of the heart) in the foetus. You and your baby will need to be monitored throughout
 your pregnancy.

Where can I find out more information on Sjögren disease?

- Sjögren's Foundation. (www.sjogrens.org) .
- British Sjögren's Syndrome Association (www.bssa.uk.net).
- Mayo Clinic (https://www.mayoclinic.org/diseases-conditions/sjogrenssyndrome/symptoms-causes/syc-20353216)

Not all of this information will be relevant to all patients. For individual advice please see your Oral Medicine specialist.

Feedback

Your feedback is important to us and helps us influence care in the future.

Following your discharge from hospital or attendance at your outpatient appointment you will receive a text asking if you would recommend our service to others. Please take the time to text back, you will not be charged for the text and can opt out at any point. Your co-operation is greatly appreciated.

Further Information

If you need any further information please contact the Liverpool University Dental Hospital

Tel: 0151 706 5060

Text phone number: 18001 0151 706 5060

Author: Adapted and Reproduced with the Kind Permission of The

British and Irish Society of Oral Medicine (BISOM)

Review date: March 2027

All Trust approved information is available on request in alternative formats, including other languages, easy read, large print, audio, Braille, moon and electronically.

يمكن توفير جميع المعلومات المتعلقة بالمرضى الموافق عليهم من قبل انتمان المستشفى عند الطلب بصيغ أخرى، بما في ذلك لغات أخرى وبطرق تسهل قراءتها وبالحروف الطباعية الكبيرة وبالصوت وبطريقة برايل للمكفوفين وبطريقة مون والكترونيا.

所有經信托基金批准的患者資訊均可以其它格式提供,包括其它語言、 易讀閱讀軟件、大字

體、音頻、盲文、穆恩體 (Moon) 盲文和電子格式,敬請索取。

در صورت تمایل میتوانید کلیه اطلاعات تصویب شده توسط اتحادیه در رابطه با بیماران را به اشکال مختلف در دسترس داشته باشید، از جمله به زبانهای دیگر، به زبان ساده، چاپ درشت، صوت، خط مخصوص کوران، مون و بصورت روی خطی موجود است.

زانیاریی پیّوهندیدار به و نهخو شانه ی له لایه ن تراسته و ه پهسهند کراون، نهگه ر داوا بکریّت له فورماته کانی تردا بریتی له زمانه کانی تر، نیزی رید (هاسان خویّندنه وه)، چاپی گهوره، شریتی دهنگ، هیّلی موون و نهلیّکترونیکی ههیه.

所有经信托基金批准的患者信息均可以其它格式提供,包括其它语言、易读阅读软件、大字体、音频、盲文、穆恩体(Moon)盲文和电子格式,敬请索取。

Dhammaan warbixinta bukaanleyda ee Ururka ee la oggol yahay waxaa marka la codsado lagu heli karaa nuskhado kale, sida luqado kale, akhris fudud, far waaweyn, dhegeysi, farta braille ee dadka indhaha la', Moon iyo nidaam eletaroonig ah.