# Liverpool University Hospitals

### Patient information

## **Orofacial Granulomatosis (OFG)**

Liverpool University Dental Hospital

#### What are the aims of this leaflet?

This leaflet has been written to help you understand more about orofacial granulomatosis (OFG). It tells you what it is, what may cause it, what can be done about it and where you can find out more about it.

#### What is OFG?

OFG is an uncommon condition in which affected patients have persistent swelling in the lips, face or areas within the mouth. It is so named because, if a sample of the swollen tissue is examined under a microscope, small collections of inflammatory cells, called granulomas are often seen.

#### What causes OFG?

The cause of OFG is unknown for the majority of people but is likely to be related to an immunological factor, or allergy (for example to certain foods or additives).

OFG can be a disease in itself but similar looking swellings in the mouth, face and lips can be present in Crohn's disease (an inflammatory disease of the bowel). Investigations to look for any underlying disease are therefore an important part of the management of the condition.

#### Is OFG hereditary?

There is little or no evidence to suggest that OFG is inherited.

#### What does OFG look like?

In OFG there is usually persistent, non-tender swelling of one or both lips. Sometimes the skin in parts of the face can also be swollen and red. Inside the mouth there may be lumps, swellings or ulcers. The ulcers if present can be round or linear in shape. Often, the inside of the cheeks looks corrugated or 'cobblestone' in appearance and the gums can be bright red.

#### What are the symptoms of OFG?

The most common complaint is lip and / or face swelling, often associated with dry, red skin. If the lips are swollen they sometimes crack in the middle or at the corners of the mouth and become sore.

The gums can be painful and may bleed when the teeth are brushed. If ulcers are present these can last several days, weeks or even months and are painful. The pain can be made worse by eating, particularly hot, salty, spicy or hard / abrasive food.

#### Can OFG be cured?

As the cause of OFG is not fully understood, there is no curative treatment but it can be controlled in most cases.

#### How is OFG diagnosed?

The condition is diagnosed by the clinical appearance of the face, lips and mouth, but it may be necessary to have a biopsy (a sample of tissue) taken from an affected area, to confirm the diagnosis. This is routinely undertaken with a local anaesthetic.

Blood tests are usually carried out to look for any abnormalities or other features which may assist in the diagnosis or management.

Allergy testing in the form of skin testing to various food stuffs and additives may also be carried out. If Crohn's disease is suspected, then you will be referred for examination of your gut, using a flexible telescope (endoscopy).

#### How can OFG be treated?

Treatment for OFG aims to reduce facial, lip and gum swelling, prevent or reduce secondary infection, and encourage healing of ulcers.

#### Treatments used include:

- Elimination diets which involve avoiding certain drinks, food stuffs and medicines containing cinnamon and benzoates (E201-E219).
- Topical corticosteroids in the form of ointments, creams, mouthwashes or inhalers for mild swelling and oral ulcers.
- Sometimes corticosteroid is injected into the swollen areas to try to reduce swelling
- Severe cases of OFG may require treatment with a short course of systemic corticosteroids (i.e. taken in tablet form). Long-term treatment with these drugs is not recommended because of the potential side-effects.
- Other types of oral (systemic) therapy are also used for severe cases of OFG, and work by altering the body's immune system. These can be associated with a number of side-effects which should be discussed with your specialist. Regular blood tests are often required when taking these drugs, particularly during the early stages of treatment.
- Use of an antiseptic alcohol-free mouthwash, spray or gel (e.g. chlorhexidine gluconate) may be recommended to help reduce the risk of infection and control plaque levels on teeth if tooth brushing is difficult or uncomfortable.
- Use of bland moisturisers may be recommended if you have dry skin in relation to face or lip swelling.

#### What can I do?

- If you are given an elimination diet, try to follow the diet as carefully as possible. Approximately half of all patients improve with the diet, and some require no other forms of treatment.
- It can be helpful to keep a diary of when your symptoms flare, to help identify triggers in your diet.
- It is very important to try to continue tooth brushing even if your mouth is swollen and sore. This is because if plaque is allowed to build up, it can cause tooth decay, and make your gums more swollen and prone to bleeding. To help with tooth brushing, a soft toothbrush can be used with a mild toothpaste for sensitive teeth.
- In addition, regular treatment from a dental hygienist is recommended to help keep the teeth clean. You should continue to visit your dentist for routine check-ups.
- It is important that you tell the team managing your OFG if you develop any new systemic symptoms, e.g. abdominal pain, diarrhoea, as this may need to be investigated further.

Not all the information will be relevant to all patients. For individual advice please see your Oral Medicine specialist.

#### Feedback

Your feedback is important to us and helps us influence care in the future.

Following your discharge from hospital or attendance at your outpatient appointment you will receive a text asking if you would recommend our service to others. Please take the time to text back, you will not be charged for the text and can opt out at any point. Your co-operation is greatly appreciated.

#### **Further Information**

If you need any further information please contact Liverpool University Dental Hospital Tel: 0151 706 5060

Author: Reproduced with the Kind Permission of the British and Irish Society of Oral Medicine (BISOM) Review date: March 2027 All Trust approved information is available on request in alternative formats, including other languages, easy read, large print, audio, Braille, moon and electronically.

يمكن توفير جميع المعلومات المتعلقة بالمرضى الموافق عليهم من قبل انتمان المستشفى عند الطلب بصيغ أخرى، بما في ذلك لغات أخرى وبطرق تسهل قراءتها وبالحروف الطباعية الكبيرة وبالصوت وبطريقة برايل للمكفوفين وبطريقة مون والكترونياً.

所有經信托基金批准的患者資訊均可以其它格式提供,包括其它語言、易讀閱讀軟件、大字

#### 體、音頻、盲文、穆恩體(Moon)盲文和電子格式,敬請索取。

در صورت تمایل میتوانید کلیه اطلاعات تصویب شده توسط اتحادیّه در رابطه با بیماران را به اشکال مختلف در دسترس داشته باشید، از جمله به زبانهای دیگر، به زبان ساده، چاپ درشت، صوت، خط مخصوص کوران، مون و بصورت روی خطی موجود است.

زانياريى پێوەنديدار بە نەخۆشانەى لەلايەن **تراستەوە** پەسەند كراون، ئەگەر داوا بكرێت لە فۆرماتەكانى تردا بريتى لە زمانەكانى تر، ئىزى ريد (ھاسان خوێندنەرە)، چاپى گەورە، شريتى دەنگ، ھێڵى موون و ئەلێكترۆنيكى ھەيە.

所有经信托基金批准的患者信息均可以其它格式提供,包括其它语言、易读阅读软件、大字体、音频、盲文、穆恩体(Moon)盲文和电子格式,敬请索取。

Dhammaan warbixinta bukaanleyda ee Ururka ee la oggol yahay waxaa marka la codsado lagu heli karaa nuskhado kale, sida luqado kale, akhris fudud, far waaweyn, dhegeysi, farta braille ee dadka indhaha la', Moon iyo nidaam eletaroonig ah.